

# VCE4Plus



Everything you need to prepare, learn & pass your certification exam easily.

## Pass Your Next Certification Exam Fast!

365 days free updates. First attempt guaranteed success.

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.vce4plus.com>

Accurate exam material ensure you pass for sure by your first attempt - VCE4Plus

**Exam :** C2140-134

**Title :** Rational Business Developer v7.1

**Vendors :** IBM

**Version :** DEMO

NO.1 Which choice is a valid stereotype for a record?

- A. Array
- B. CSV
- C. ExternalType
- D. Form

Answer: B

NO.2 Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the first element has the value 3?

- A. myArray INT =3;
- B. myArray INT[] =3;
- C. myArray INT[3];
- D. myArray INT[3] =3;

Answer: D

NO.3 Which primitive type provides the best performance for a counter used to control a loop with maximum iterations of 1000?

- A. DECIMAL
- B. INT
- C. NUM
- D. SMALLINT

Answer: D

NO.4 Which EGL statement is used to send a text form to a user, receive input from the user, and always return to the same program?

- A. show statement
- B. converse statement
- C. forward statement
- D. display statement

Answer: B

NO.5 One of several programs in an EGL project requires a different build descriptor option from the other programs in the same project. What is the BEST way to specify the different build descriptor option?

- A. generate the program using Generate With Wizard and override the build descriptor option in the wizard
  - B. use a master build descriptor plugin.xml file to control which build descriptor part is used for each program
  - C. move the program to a different project so that all programs in each project use the same default build descriptor part
  - D. create a build descriptor part for the program and specify it in the EGL Default Build Descriptors for the program
- Answer: D